NSN 5935-00-241-9315

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-241-9315

Body Style:
Straight shape
Overall Length:
2.719 inches
Overall Height:
0.594 inches
Overall Width:
0.469 inches
Unthreaded Mounting Hole Diameter:
0.094 inches
Distance Between Mounting Facility Centers:
2.531 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
37 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Shell Type: Solid
Solid
Solid Connector Locking Method:
Solid Connector Locking Method: Friction
Solid Connector Locking Method: Friction Terminal Location:
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material:
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material:
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: Plastic single mating end
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: Plastic single mating end Terminal Type:
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: Plastic single mating end Terminal Type: Solder well single mating end single contact grouping
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: Plastic single mating end Terminal Type: Solder well single mating end single contact grouping Shell Material:
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: Plastic single mating end Terminal Type: Solder well single mating end single contact grouping Shell Material: Steel
Solid Connector Locking Method: Friction Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Insert Material: Plastic single mating end Terminal Type: Solder well single mating end single contact grouping Shell Material: Steel Shell Surface Treatment:

Included Contact Type:

Round pin single mating end single contact grouping

NSN 5935-00-241-9315

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.037 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0