NSN 5935-00-242-8689

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-242-8689 **Thread Class:** 2a and 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape Center To Center Distance Between Mounting Facilities Parallel To Length: 1.969 inches **Overall Height:** 0.922 inches **Overall Width:** 1.688 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.500 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 66 single mating end **Polarization Method:** Jackscrew Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 32 and 40 **Thread Size:** 0.138 inches and 0.112 inches **Insert Material:** Plastic diallyl phthalate single mating end **Criticality Code Justification:** Feat **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize

, 11100120

Insert Material Specification:

Mil-m-14, ty sdg-f military specification single material response single mating end

NSN 5935-00-242-8689

Electrical Receptacle Connector Body - Page 2 of 2



S	pe	ci	al	F	ea	ıtı	ur	es	3

Item must comply with requirements of defense electronics supply center production standard no. L01206'; items furnished as accessories -mounting plate

Thread	Series	Design	ator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.