## NSN 5935-00-242-9444



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-242-9444 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Angle shape, w/ or w/o cover **Overall Length:** 8.062 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 7.000 inches **Overall Height:** 9.875 inches **Overall Width: 5.893** inches **Environmental Protection:** Weatherproof **Unthreaded Mounting Hole Diameter:** 0.438 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 4.875 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 100.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 14 **Thread Size:** 3.425 inches **Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

## NSN 5935-00-242-9444

Electrical Receptacle Connector - Page 2 of 2



## **Contact Surface Treatment:** Tin single mating end single contact grouping **Insert Material:** Glass fiber single mating end and plastic polyester single mating end **Terminal Type:** Screw single mating end single contact grouping **Shell Material:** Aluminum **Shell Surface Treatment:** Paint epoxy **Included Contact Quantity:** 4 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Thread Series Designator:** Uns Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig: A039b0