Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-243-2841

Thread Class:
2a
Za Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.125 inches
Overall Diameter:
0.516 inches
Distance From Mounting Shoulder To Front Face:
0.375 inches
Threaded Device Type:
Mounting bushing
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Bayonet pin
Thready Qty Per Inch (tpi):
32
32
32 Thread Size:
32 Thread Size: 0.375 inches
32 Thread Size: 0.375 inches Terminal Location:
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material:
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material:
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic single mating end
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic single mating end
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic single mating end Solder well single mating end single contact grouping
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic single mating end Single mating end Solder well single mating end single contact grouping Shell Material:
32 Thread Size: 0.375 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Silver single mating end single contact grouping Insert Material: Plastic single mating end Solder well single mating end single contact grouping Solder well single mating end single contact grouping Shell Material: Aluminum alloy



Included Contact Quantity: 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round w/flat Included Contact Type: Coaxial socket single mating end single contact grouping **Precious Material And Location:** Contact and shell surface silver **Precious Material And Weight:** 0.105 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Unef Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0