

View Online at https://aerobasegroup.com/nsn/5935-00-251-7804

Thread Class: 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape **Overall Length:** Between 1.063 inches and 1.078 inches **Overall Height:** 0.679 inches **Overall Width:** 0.470 inches **Environmental Protection:** Vibration resistant **Distance Between Mounting Facility Centers:** 0.814 inches **Threaded Device Type:** Coupling facility and mounting stud Mating End Quantity: 1 **Contact Position Arrangement Style:** 20 20-20 single mating end **Polarization Method:** Jackscrew Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 48 and 48 and 56 **Thread Size:** 0.099 inches and 0.099 inches and 0.086 inches **Insert Material:** Plastic diallyl phthalate and glass fiber single mating end **Shell Material:** Steel comp 302 **Shell Surface Treatment:** Passivate **Shell Material Specification:** Qq-s-766 federal specification single material response **Insert Material Specification:**

Mil-m-14, type sdg-f military specification all material responses single mating end



Unable To Decode:

Unable to decode and unable to decode

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.