NSN 5935-00-252-1084

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-252-1084 **Body Material:** Plastic **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top mount w/studs **Fabrication Method:** Molded **Overall Length:** 1.440 inches **Overall Width:** 0.810 inches **Mounting Hole Diameter:** 0.112 inches **Body Mounting Hole Accommodation Length:** 0.980 inches **Body Mounting Hole Accommodation Width:** 0.810 inches **Mounting Hole Style:** Rectangular, w/four mounting holes/slots **Specific Equipment Accommodated:** Electron tube **Contact Maximum Current Rating In Amps:** 5.0 **Contact Material:** Copper alloy **Contact Surface Treatment:** Gold **Accommodated Contact Quantity:** Center To Center Distance Between Outside Mounting Holes Along Length: 1.200 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** 0.400 inches **Polarization Type:** Colored dot **Projection Length Below Mounting Surface:** 0.240 inches

Mounting Method:

Threaded stud

NSN 5935-00-252-1084

Plug-in Electronic Components Socket - Page 2 of 2



Mounting Type For Which Designed:
Chassis
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Contact Position Arrangement Style:
Symmetrical
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.014 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Terminal Type And Quantity:
14 solder well
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300