## NSN 5935-00-252-6790

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-252-6790

Thread Class:

2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape **Overall Length:** 1.250 inches **Overall Height:** 0.656 inches **Overall Width:** 0.438 inches **Environmental Protection:** Shock proof and vibration proof **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 0.937 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 14 single mating end **Polarization Method:** Jackscrew and shell Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 

0.138 inches and 0.138 inches and 0.112 inches

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Shell Material:** 

Aluminum alloy

**Shell Surface Treatment:** 

**Passivate** 

**Shell Guide Type And Location Designator:** 

A slot

## NSN 5935-00-252-6790

Electrical Receptacle Connector Body - Page 2 of 2



T	'nr	ead	<b>Series</b>	Design	nator:

Unc and unc and unc

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0