NSN 5935-00-254-3437

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-254-3437 **Body Style:** Wall type **Overall Height:** 1.218 inches Overall Width: 1.718 inches **Distance Between Mounting Facility Centers:** 3.281 inches **Mating End Quantity: Contact Position Arrangement Style:** 3 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 30.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Connector Locking Method:** Contact twistlock **Terminal Location:** Side single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Nickel single mating end all contact groupings **Insert Material:** Plastic phenolic single mating end **Terminal Type:** Screw w/wire lock single mating end all contact groupings **Insert Material Specification:** Mil-m-14, type cfg military specification single material response single mating end **Included Contact Quantity:** 2 single mating end 2nd contact grouping **Included Contact Type:** U-socket single mating end 2nd contact grouping Shelf Life: N/a

--

Unit Of Measure:

NSN 5935-00-254-3437

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.