

View Online at <https://aerobasegroup.com/nsn/5935-00-255-2184>

**Thread Class:**

2a and 2a and 2a

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape, external coupling

**Overall Length:**

Between 1.370 inches and 1.430 inches

**Overall Diameter:**

Between 1.073 inches and 1.104 inches

**Distance From Mounting Shoulder To Front Face:**

0.761 inches

**Mounting Facility Thickness:**

Between 0.082 inches and 0.125 inches

**Threaded Device Type:**

Back shell and coupling facility and mounting bushing

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

10-5 single mating end

**Polarization Method:**

Keyway or multiple keyway

**Insert Position In Deg:**

0.0

**Shell Type:**

Solid

**Connector Locking Method:**

Internally threaded coupling nut

**Thread Size:**

0.688 inches and 0.625 inches and 0.750 inches

**Insert Material:**

Plastic diallyl phthalate single mating end

**Criticality Code Justification:**

Feat

**Shell Material:**

Aluminum alloy 6061

**Shell Surface Treatment:**

Chromium

**Shell Surface Treatment Specification:**

Qq-c-320, class 2 federal specification single treatment response

**Shell Material Specification:**

Qq-a-367 federal specification single material response

**Special Features:**

Design analysis

**Nuclear Hardness Critical Feature:**

Hardened

**Thread Series Designator:**

Unef

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0