

View Online at <https://aerobasegroup.com/nsn/5935-00-255-2184>

Thread Class:

2a and 2a and 2a

Thread Direction:

Right-hand

Body Style:

Straight shape, external coupling

Overall Length:

Between 1.370 inches and 1.430 inches

Overall Diameter:

Between 1.073 inches and 1.104 inches

Distance From Mounting Shoulder To Front Face:

0.761 inches

Mounting Facility Thickness:

Between 0.082 inches and 0.125 inches

Threaded Device Type:

Back shell and coupling facility and mounting bushing

Mating End Quantity:

1

Contact Position Arrangement Style:

10-5 single mating end

Polarization Method:

Keyway or multiple keyway

Insert Position In Deg:

0.0

Shell Type:

Solid

Connector Locking Method:

Internally threaded coupling nut

Thread Size:

0.688 inches and 0.625 inches and 0.750 inches

Insert Material:

Plastic diallyl phthalate single mating end

Criticality Code Justification:

Feat

Shell Material:

Aluminum alloy 6061

Shell Surface Treatment:

Chromium

Shell Surface Treatment Specification:

Qq-c-320, class 2 federal specification single treatment response

Shell Material Specification:

Qq-a-367 federal specification single material response

Special Features:

Design analysis

Nuclear Hardness Critical Feature:

Hardened

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0