

NSN 5935-00-257-9719 Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-257-9719 **Thread Class:** 

**Thread Direction:** Right-hand **Body Style:** Straight shape threaded **Overall Length:** 0.563 inches **Overall Diameter:** 0.500 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Mh-9 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 2000.0 single mating end single contact grouping **Polarization Method:** Contact **Connector Locking Method:** Spring friction

**Thread Size:** 

0.500 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic melamine single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

**Shell Material:** 

**Plastic** 

**Included Contact Quantity:** 

9 single mating end single contact grouping

## NSN 5935-00-257-9719

Electrical Receptacle Connector - Page 2 of 2



Bushing Accommodation Hole Shape:	
Round	
Included Contact Type:	
Round socket single mating end single contact grouping	
Color:	
Natural	
Precious Material And Location:	
Contact surfaces gold	
Precious Material And Weight:	
0.009 gold grains, troy	
Precious Material:	
Gold	
Thread Series Designator:	
Unf	
Shelf Life:	
N/a	
Unit Of Measure:	
<del></del>	
Demilitarization:	
No	
Fiig:	
A039b0	