NSN 5935-00-258-9989

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-258-9989 **Thread Direction:** Right-hand **Overall Length:** 1.062 inches **Overall Height:** 0.688 inches **Overall Width:** 0.688 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.500 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 24-835 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Frequency Rating:** 10000.0 megahertz single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet latch **Connector Cable Strain Relief Method:** Cable clamp Radio Frequency Type Contact Characteristic Impedance In Ohms: 52.0 single mating end single contact grouping **Thread Size:** 3.000 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy

Included Contact Quantity:

1 single mating end single contact grouping

NSN 5935-00-258-9989

Electrical Receptacle Connector - Page 2 of 2



Included	Contact	Type:
----------	---------	-------

Coaxial socket single mating end single contact grouping

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0