Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-259-2039

Overall Length:
0.532 inches
Overall Diameter:
0.656 inches
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Contact
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Plastic
Insert Material Specification:
Mil-m-14, type mme military specification single material response single mating end
Included Contact Quantity:
7 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Color:
Natural
Precious Material And Location:
Contact surfaces gold
Contact surfaces you
Precious Material And Weight:
-
Precious Material And Weight:
Precious Material And Weight: 0.007 gold grains, troy
Precious Material And Weight: 0.007 gold grains, troy Precious Material:
Precious Material And Weight: 0.007 gold grains, troy Precious Material: Gold
Precious Material And Weight: 0.007 gold grains, troy Precious Material: Gold Shelf Life:
Precious Material And Weight: 0.007 gold grains, troy Precious Material: Gold Shelf Life: N/a
Precious Material And Weight: 0.007 gold grains, troy Precious Material: Gold Shelf Life: N/a
Precious Material And Weight: 0.007 gold grains, troy Precious Material: Gold Shelf Life: N/a Unit Of Measure:

Electrical Receptacle Connector - Page 2 of 2



Fiig: A039b0

Mil-std (military Standard):

Mil-m-14 spec.