NSN 5935-00-259-7516

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-259-7516 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** Between 1.109 inches and 1.141 inches **Overall Diameter:** 0.688 inches **Cable Entrance Diameter:** Between 0.258 inches and 0.263 inches **Distance From Mounting Shoulder To Front Face:** 0.749 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Bnc single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet pin **Connector Cable Strain Relief Method:** Cable clamp **Thread Size:** 0.500 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic styrene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Silver

Included Contact Quantity:

1 single mating end single contact grouping

NSN 5935-00-259-7516

Electrical Receptacle Connector - Page 2 of 2



Bushing Accommodation Hole Shape: Round w/flat **Included Contact Type:** Coaxial socket single mating end single contact grouping **Precious Material And Location:** Shell surface silver **Precious Material And Weight:** 0.100 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Unef Shelf Life: N/a **Unit Of Measure:** Demilitarization: No Fiig:

A039b0