NSN 5935-00-261-7635

Connector Adapter - Page 1 of 2

Thread Class:

Right-hand **Body Style:**

Thread Direction:

Straight shape w/flange

Overall Length:

2a



View Online at https://aerobasegroup.com/nsn/5935-00-261-7635

1.698 inches
Overall Height:
0.687 inches
Overall Width:
0.687 inches
Environmental Protection:
Moisture resistant and vibration resistant and salt water resistant
Unthreaded Mounting Hole Diameter:
0.125 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.500 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
2
Contact Position Arrangement Style:
Nonstd all mating ends
Contact Removability:
Nonremovable all mating ends single contact grouping
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thread Size:
0.438 inches
Contact Material:
Copper alloy all mating ends single contact grouping
Contact Surface Treatment:
Gold all mating ends single contact grouping
Insert Material:
Plastic polytetrafluoroethylene all mating ends
Contact Material Specification:
Qq-c-530, 1/2 h federal specification single material response all mating ends single contact grouping

NSN 5935-00-261-7635

Connector Adapter - Page 2 of 2



Shell Material:
Steel comp 303
Shell Material Specification:
Qq-s-764, type 303, cond a federal specification single material response
Insert Material Specification:
Mil-p-19468 military specification single material response all mating ends
Included Contact Quantity:
2 all mating ends single contact grouping
Included Contact Type:
Coaxial socket all mating ends single contact grouping
Special Features:
Contact designation tnc
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.010 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-p-19468 spec.