## NSN 5935-00-272-9471

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-272-9471

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

Bnc single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Polarization Method:** 

Contact

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet pin

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic single mating end

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

**Shell Material:** 

Copper alloy

**Shell Surface Treatment:** 

Nickel

**Shell Surface Treatment Specification:** 

Qq-n-290 federal specification single treatment response

**Shell Material Specification:** 

Qq-b-626, alloy 360, 1/2h federal specification single material response

**Insert Material Specification:** 

Mil-m-19468 military specification single material response single mating end

**Included Contact Quantity:** 

1 single mating end single contact grouping

**Bushing Accommodation Hole Shape:** 

Round

**Included Contact Type:** 

Coaxial socket single mating end single contact grouping

**Special Features:** 

0.375 in. Lg, 0.086 in.W, and 0.006 in. Thick tab for attachment to mtg end is included

## NSN 5935-00-272-9471

Electrical Receptacle Connector - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	

Mil-std (military Standard):

Shelf Life:

Mil-m-19468 spec.