Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-280-1020

Body Style:

Straight shape

Overall Length:

Between 0.944 inches and 0.964 inches

Overall Height:

Between 3.100 inches and 3.120 inches

Overall Width:

Between 1.990 inches and 2.010 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 2.778 inches and 2.788 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.607 inches and 1.617 inches

Distance From Mounting Shoulder To Front Face:

Between 0.756 inches and 0.776 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

67 single mating end

Contact Removability:

Removable all mating ends all contact groupings

Contact Maximum Current Rating In Amps:

7.5 2nd mating end 2nd contact grouping

Polarization Method:

1 polarization post

Shell Type:

Solid

Terminal Location:

Back all mating ends all contact groupings

Contact Material:

Copper alloy all mating ends all contact groupings

Contact Surface Treatment:

Gold single mating end single contact grouping and silver single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate single mating end

Terminal Type:

Crimp all mating ends all contact groupings

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Included Contact Quantity:

64 2nd mating end 2nd contact grouping

NSN 5935-00-280-1020

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Round socket all mating ends all contact groupings **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.134 gold grains, troy and 0.134 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0