

View Online at https://aerobasegroup.com/nsn/5935-00-283-7245

Plastic Fabrication Method: Molded Mounting Hole Diameter: 0.172 inches Body Mounting Hole Accommodation Diameter: 2.500 inches Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity: 4
Molded Mounting Hole Diameter: 0.172 inches Body Mounting Hole Accommodation Diameter: 2.500 inches Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Mounting Hole Diameter: 0.172 inches Body Mounting Hole Accommodation Diameter: 2.500 inches Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
0.172 inches Body Mounting Hole Accommodation Diameter: 2.500 inches Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Body Mounting Hole Accommodation Diameter: 2.500 inches Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
2.500 inches Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Distance Between Mounting Facility Centers: 3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
3.016 inches Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Mounting Hole Style: Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Round, w/two mounting holes Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Specific Equipment Accommodated: Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Electron tube Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Contact Material: Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Copper alloy Contact Surface Treatment: Silver Accommodated Contact Quantity:
Contact Surface Treatment: Silver Accommodated Contact Quantity:
Silver Accommodated Contact Quantity:
Accommodated Contact Quantity:
4
Mounting Method:
Saddle
Mounting Type For Which Designed:
Chassis
Contact Position Arrangement Style:
Circular
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.020 silver grains, troy
Precious Material:
Silver
Terminal Type And Quantity:
4 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: