NSN 5935-00-296-7717

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-296-7717	
Thread Class:	
2a	
Thread Direction:	
Right-hand	
Body Style:	
Straight shape, flush mount	
Overall Length:	
1.344 inches	
Overall Height:	
3.500 inches	
Overall Width:	
3.500 inches	
Center To Center Distance Between Mounting Facilities Parallel To Height:	
2.980 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	
1.359 inches	
Threaded Device Type:	
Mounting stud	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
100 single mating end	
Contact Removability:	
Nonremovable single mating end single contact grouping	
Contact Maximum Current Rating In Amps:	
22.0 single mating end single contact grouping	
Contact Maximum Ac Voltage Rating In Volts:	
750.0 single mating end single contact grouping	
Polarization Method:	
Mating end	
Shell Type:	
Solid	
Connector Locking Method:	
Latch	
Thread Length:	
0.375 inches	
Thready Qty Per Inch (tpi):	
32	
Thread Size:	
0.164 inches	
Terminal Location:	

Torrinia Location.

Back single mating end single contact grouping

NSN 5935-00-296-7717

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Anodize
Included Contact Quantity:
100 single mating end single contact grouping
Included Contact Type:
Flat pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.100 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0