NSN 5935-00-296-8732

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-296-8732 **Thread Class:** 2a **Thread Pitch Diameters:** +1.302/+1.312 inches **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 0.766 inches **Overall Height:** 1.344 inches **Overall Width:** 1.344 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.062 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.062 inches **Distance From Mounting Shoulder To Front Face:** 0.375 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 21-30 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 5.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 2380.0 single mating end 1st contact grouping **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 Shell Type:

Solid

Connector Locking Method:

Externally threaded shell

NSN 5935-00-296-8732

Electrical Receptacle Connector - Page 2 of 2



Thread Length:
0.375 inches
Thready Qty Per Inch (tpi):
6
Thread Size:
1.312 inches
Terminal Location:
Back single mating end all contact groupings
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end all contact groupings
Shell Material:
Aluminum alloy
Included Contact Quantity:
3 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Thread Series Designator:
Acme
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A039b0