## NSN 5935-00-328-3955



Electrical Receptacle Connector - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5935-00-328-3955
Body Style:
Straight shape, external coupling
Overall Length:
1.266 inches
Overall Height:
1.532 inches
Overall Width:
1.532 inches
Environmental Protection:
Moisture proof and salt water resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
Between 0.115 inches and 0.125 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.062 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.062 inches
Distance From Mounting Shoulder To Front Face:
Between 0.462 inches and 0.493 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Fk-g8 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Bayonet pin

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings

**Insert Material:** 

Rubber single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, class 1 military specification single treatment response single mating end all contact groupings

## NSN 5935-00-328-3955

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end all contact groupings
Contact Material Specification:
Qq-b-626 federal specification single material response single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Included Contact Quantity:
4 single mating end 2nd contact grouping
Special Features:
Contact designation 18-88 and four 0.150 in. Diameter intersected mtg holes spaced 1.203 in. By 1.203 in
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.008 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):