## NSN 5935-00-335-8301

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-335-8301

**Thread Class:** 2a and 2b **Thread Direction:** Right-hand and right-hand **Body Style:** Angle shape, external coupling **Overall Length:** 0.462 inches **Overall Diameter:** 0.406 inches **Environmental Protection:** Corrosion resistant and shock resistant and vibration resistant **Threaded Device Type:** Coupling facility and mounting hole **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1000.0 single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thready Qty Per Inch (tpi): 36 and 80 **Thread Size:** 0.190 inches and 0.060 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and copper single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end

Terminal Type:

Solder well single mating end single contact grouping

## NSN 5935-00-335-8301

No Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



## **Contact Material Specification:** Qq-c-530, 1/2 h federal specification single material response single mating end single contact grouping **Shell Material:** Steel comp 303 **Shell Surface Treatment:** Gold and nickel **Shell Material Specification:** Qq-s-764, cond a federal specification single material response **Included Contact Quantity:** 1 single mating end single contact grouping **Included Contact Type:** Coaxial socket single mating end single contact grouping **Special Features:** Solder flange mounted with 8 threaded holes **Precious Material And Location:** Contact and shell surfaces gold **Precious Material And Weight:** 0.105 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Uns and unf **Shelf Life:** N/a **Unit Of Measure: Demilitarization:**