## NSN 5935-00-351-3747

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-351-3747



**Thread Class:** 2a and 2b **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape threaded **Overall Length:** 0.750 inches **Overall Diameter:** 1.812 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** 19 number 16 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 4.0 single mating end single contact grouping **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 24 and 24 **Thread Size:** 1.625 inches and 1.625 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Ceramic single mating end **Terminal Type:** Turret single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize

## NSN 5935-00-351-3747

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
19 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round
Included Contact Type:
Banana single mating end single contact grouping
Thread Series Designator:
Uns and uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0