NSN 5935-00-353-0786

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-353-0786

Body Style:
Straight shape, external coupling
Overall Length:
0.913 inches
Bushing Diameter:
0.119 inches
Overall Height:
0.380 inches
Overall Width:
0.380 inches
Environmental Protection:
Corrosion resistant and shock resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
Between 0.092 inches and 0.097 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.232 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.232 inches
Distance From Mounting Shoulder To Front Face:
0.567 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Sm single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Spring friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic tetrafluoroethylene single mating end
Terminal Type:
Pin single mating end single contact grouping
Shell Material:

Stainless steel

NSN 5935-00-353-0786 Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Passivate
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Special Features:
Contact designation smb
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.005 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A039b0