Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-368-2942

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape w/jackscrew
Overall Length:
Between 2.115 inches and 2.135 inches
Overall Height:
1.960 inches
Overall Width:
Between 0.820 inches and 0.840 inches
Environmental Protection:
Moisture resistant and salt water resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.149 inches
Distance Between Mounting Facility Centers:
Between 1.745 inches and 1.755 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
13.0 single mating end single contact grouping
Polarization Method:
Polarization boss
Connector Locking Method:
Screw
Thread Length:
0.250 inches
Thread Size:
0.138 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Crimp single mating end single contact grouping



### **Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end

#### **Included Contact Quantity:**

36 single mating end single contact grouping

#### Included Contact Type:

Round socket single mating end single contact grouping

#### **Special Features:**

Polarized at position a rotated 90 deg, b rotated 135 deg

#### **Test Data Document:**

81349-mil-c-28748 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Thread Series Designator:**

Unc

## **Specification Data:**

81349-mil-c-28748/10 government specification

Shelf Life:

N/a

# Unit Of Measure:

Demilitarization:

No

....

# Fiig:

A039b0

#### Mil-std (military Standard):

Mil-m-14 spec.