## NSN 5935-00-378-3240

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-378-3240 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape threaded **Overall Length:** 0.750 inches **Overall Diameter:** 1.312 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** 6 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 4.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 28 and 20 **Thread Size:** 1.125 inches and 1.125 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Ceramic single mating end **Terminal Type:** Wire loop single mating end single contact grouping **Shell Material: Shell Surface Treatment:** 

Aluminum alloy

Shell Surface Trea

Anodize

## NSN 5935-00-378-3240

Electrical Receptacle Connector - Page 2 of 2



## Included Contact Quantity: 6 single mating end single contact grouping Bushing Accommodation Hole Shape: Round Included Contact Type: Banana single mating end single contact grouping Thread Series Designator: Un and un Shelf Life: N/a Unit Of Measure: --Demilitarization: No

Fiig: A039b0