## NSN 5935-00-396-2798

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-396-2798

Thread Class:

2a and 2a

**Thread Direction:** 

Right-hand and right-hand

**Body Style:** 

Angle shape, external coupling

**Overall Length:** 

1.469 inches

**Overall Height:** 

1.157 inches

**Overall Diameter:** 

0.688 inches

**Distance From Mounting Shoulder To Front Face:** 

0.828 inches

**Mounting Facility Thickness:** 

0.188 inches

**Threaded Device Type:** 

Coupling facility and mounting bushing

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

Nonstd single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Shell Type:

Solid

**Connector Locking Method:** 

Externally threaded shell

**Connector Cable Strain Relief Method:** 

Compression nut

Thready Qty Per Inch (tpi):

28 and 28

**Thread Size:** 

0.438 inches and 0.500 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Silver single mating end single contact grouping

**Insert Material:** 

Plastic tetrafluoroethylene single mating end

## NSN 5935-00-396-2798

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round w/flat
Included Contact Type:
Coaxial socket single mating end single contact grouping
Special Features:
Contact designation tnc
Precious Material And Location:
Contact and surfaces silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Un and unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0