## NSN 5935-00-399-3267

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-399-3267

**Body Style:** 

Straight shape

**Overall Length:** 

Between 2.340 inches and 2.360 inches

**Overall Height:** 

0.500 inches

**Overall Width:** 

Between 0.240 inches and 0.260 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.115 inches and 0.125 inches

**Distance Between Mounting Facility Centers:** 

Between 2.090 inches and 2.110 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Polarization Method:** 

Guide pin/socket

**Terminal Location:** 

Side single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic allyl single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Pin single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-530 federal specification single material response single mating end single contact grouping

**Included Contact Quantity:** 

30 single mating end single contact grouping

**Included Contact Type:** 

Round socket single mating end single contact grouping

**Special Features:** 

Left side d-shaped socket guide rotated 90 deg, right side d-shaped pin guide rotated 90 degrees clockwise from normal

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-00-399-3267

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.030 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.