## NSN 5935-00-400-3136

**Thread Class:** 

2b

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-400-3136

| Thread Direction:  |
|--|
| Right-hand   |
| Body Style:  |
| Straight shape   |
| Overall Length:  |
| 2.438 inches   |
| Center To Center Distance Between Mounting Facilities Parallel To Length:                              |
| 2.000 inches   |
| Overall Height:  |
| 1.500 inches   |
| Overall Width:   |
| 1.000 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:                            |
| 0.562 inches   |
| Threaded Device Type:  |
| Mounting hole  |
| Mating End Quantity:   |
| 1  |
| Contact Position Arrangement Style:  |
| 2 single mating end  |
| Contact Removability:  |
| Removable single mating end single contact grouping  |
| Shell Type:  |
| Solid  |
| Radio Frequency Type Contact Characteristic Impedance In Ohms:   |
| 50.0 single mating end single contact grouping   |
| Thready Qty Per Inch (tpi):  |
| 32   |
| Thread Size:   |
| 0.138 inches   |
| Terminal Location:   |
| Back single mating end single contact grouping   |
| Contact Material:  |
| Copper alloy single mating end single contact grouping   |
| Contact Surface Treatment:   |
| Gold single mating end single contact grouping   |
| Insert Material:   |
| Plastic polytetrafluoroethylene single mating end  |
| Contact Surface Treatment Specification:   |
| Mil-g-45204 military specification single treatment response single mating end single contact grouping |
|  |

## NSN 5935-00-400-3136

Electrical Receptacle Connector - Page 2 of 2



| Terminal Type:  |
|---|
| Crimp single mating end single contact grouping   |
| Contact Material Specification:   |
| Qq-b-626, comp 22, 1/2 h federal specification single material response single mating end single contact grouping |
| Shell Material:   |
| Aluminum  |
| Shell Surface Treatment:  |
| Cadmium   |
| Shell Surface Treatment Specification:  |
| Qq-p-416, cl 3, type 2 federal specification single treatment response  |
| Shell Material Specification:   |
| Qq-a-591, comp 10 federal specification single material response  |
| Insert Material Specification:  |
| Mil-p-19468 military specification single material response single mating end                                     |
| Included Contact Quantity:  |
| 2 single mating end single contact grouping   |
| Included Contact Type:  |
| Coaxial pin single mating end single contact grouping   |
| Special Features:   |
| 2 crimp type strain reliefs optional  |
| Precious Material And Location:   |
| Contact surfaces gold   |
| Precious Material And Weight:   |
| 0.010 gold grains, troy   |
| Precious Material:  |
| Gold  |
| Thread Series Designator:   |
| Unc   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A039b0  |
| Mil-std (military Standard):  |
| Mil-g-45204 spec.   |