

View Online at https://aerobasegroup.com/nsn/5935-00-401-7283

Body Material: Ceramic Body Style: Bottom mount w/metal saddle Fabrication Method: Molded Body Surface Treatment: Glazed Overall Length: 1.406 inches Tempurature Rating: 200.0 degrees celsius Overall Height:

0.750 inches

Overall Width:

0.953 inches

Mounting Hole Diameter:

Between 0.120 inches and 0.130 inches

Body Mounting Hole Accommodation Diameter:

0.745 inches

Distance Between Mounting Facility Centers:

Between 1.120 inches and 1.130 inches

Mounting Hole Style:

Round, w/two mounting holes

Contact Resistance In Ohms:

0.015

Specific Equipment Accommodated:

Electron tube

Contact Maximum Current Rating In Amps:

1.0

Contact Material:

Beryllium copper

Contact Surface Treatment:

Gold and copper

Accommodated Contact Quantity:

9

Polarization Type:

Contact position

Saddle Material:

Brass

Saddle Surface Treatment:

Tin



Cente	er Shield Material:
Brass	
Cente	er Shield Surface Treatment:
Tin	
Proje	ction Length Above Mounting Surface:
Betwe	een 0.078 inches and 0.125 inches
Moun	ting Method:
Saddl	e
Moun	ting Type For Which Designed:
Chase	sis
Featu	ires Provided:
Cente	er shield
Conta	act Position Arrangement Style:
Circul	ar
Grou	nd Terminal Type And Quantity:
4 tab,	solder lug
Conta	act Maximum Voltage In Volts And Current Type:
500.0	ac and 500.0 dc
Preci	ous Material And Location:
Conta	ict surfaces gold
Preci	ous Material And Weight:
0.009	gold grains, troy
Preci	ous Material:
Gold	
Test I	Data Document:
81349	9-mil-s-12883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
forma	t; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
enviro	onmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Termi	inal Type And Quantity:
9 tab,	solder lug
Speci	ification Data:
81349	9-mil-s-12883/11 government specification
Shelf	Life:
N/a	
Unit C	Of Measure:
 Demi	litarization:
No	
Fiig:	
A0230	