

View Online at <https://aerobasegroup.com/nsn/5935-00-404-6740>

**Thread Class:**

2a and 2b

**Thread Direction:**

Right-hand and right-hand

**Body Style:**

Straight shape, rectangular

**Overall Length:**

2.000 inches

**Overall Height:**

3.000 inches

**Overall Width:**

3.800 inches

**Environmental Protection:**

Vibration resistant and shock resistant

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

2.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

3.300 inches

**Threaded Device Type:**

Coupling facility and mounting hole

**Mating End Quantity:**

1

**Polarization Method:**

Polarization boss

**Shell Type:**

Solid

**Connector Locking Method:**

Jackscrew

**Thready Qty Per Inch (tpi):**

28 and 32

**Thread Size:**

0.250 inches and 0.164 inches

**Insert Material:**

Plastic diallyl phthalate single mating end

**Shell Material:**

Stainless steel

**Shell Surface Treatment:**

Cadmium

**Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification single treatment response

**Insert Material Specification:**

Mil-p-19833, ty gdi-30 military specification single material response single mating end

**Thread Series Designator:**

Unf and unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-p-19833 spec.