

View Online at <https://aerobasegroup.com/nsn/5935-00-404-8874>

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.281 inches

**Overall Width:**

3.562 inches

**Threaded Device Type:**

Mounting hole

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

"3, 10-30" single mating end

**Contact Removability:**

Nonremovable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:**

30.0 single mating end all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:**

250.0 single mating end all contact groupings

**Contact Maximum Dc Voltage Rating In Volts:**

250.0 single mating end all contact groupings

**Polarization Method:**

Contact

**Thread Size:**

0.138 inches

**Terminal Location:**

Side single mating end all contact groupings

**Contact Material:**

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:**

Tin single mating end all contact groupings

**Insert Material:**

Plastic phenolic single mating end

**Terminal Type:**

Screw single mating end all contact groupings

**Insert Material Specification:**

Mil-m-14, type cfg military specification single material response single mating end

**Included Contact Quantity:**

2 single mating end 2nd contact grouping

**Included Contact Type:**

L-socket single mating end 1st contact grouping

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-m-14 spec.