NSN 5935-00-410-2289

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-410-2289

Body Style:
Straight shape
Overall Length:
3.860 inches
Overall Height:
0.680 inches
Overall Width:
0.410 inches
Environmental Protection:
Moisture resistant and salt water resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.185 inches
Distance Between Mounting Facility Centers:
3.542 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Switching contacts inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Zinc
Shell Material Specification:
Qq-b-613 federal specification single material response or qq-b-626 federal specification single material response
Insert Material Specification:

Mil-m-14, type mdg military specification single material response single mating end

NSN 5935-00-410-2289

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity: 64 single mating end single contact grouping **Included Contact Type:** Leaf spring single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.064 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.