## NSN 5935-00-412-3132

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-412-3132
Body Style:
Straight shape
Overall Length:
7.600 inches
Overall Height:
1.150 inches
Overall Width:
1.100 inches
Environmental Protection:
Moisture resistant and shock resistant and vibration resistant and salt water resistant
Unthreaded Mounting Hole Diameter:
0.140 inches
Distance Between Mounting Facility Centers:
7.150 inches
Mating End Quantity:
1
Contact Removability:
Removable single mating end 1st contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end 1st contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end 1st contact grouping
Polarization Method:
2 polarization posts

Shell Type:

Solid

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Back single mating end 1st contact grouping

**Contact Material:** 

Copper alloy single mating end 1st contact grouping

**Contact Surface Treatment:** 

Gold single mating end 1st contact grouping

**Terminal Type:** 

Wire wrap single mating end 1st contact grouping

**Shell Material:** 

Metal

**Included Contact Quantity:** 

155 single mating end 1st contact grouping

**Included Contact Type:** 

Flat pin single mating end 1st contact grouping

## NSN 5935-00-412-3132

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Contact surfaces gold
Precious Material And Weight:
0.155 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0