NSN 5935-00-413-1245

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-413-1245



Thread Direction: Right-hand **Body Style:** Straight shape **Overall Length:** Between 1.465 inches and 1.485 inches **Overall Height:** 0.440 inches **Overall Width:** Between 0.285 inches and 0.305 inches **Environmental Protection:** Heat resistant and moisture proof and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.088 inches and 0.094 inches **Distance Between Mounting Facility Centers:** Between 1.260 inches and 1.270 inches **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 37 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Wire wrap single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:**

Cadmium

NSN 5935-00-413-1245

Electrical Receptacle Connector - Page 2 of 2



Insert Material Specification:
Mil-m-14 military specification single material response single mating end
Included Contact Quantity:
37 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.037 gold grains, troy
Precious Material:
Gold
Test Data Document:
10138-50042 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Specification Data:
10139-50042 manufacturers specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.