

View Online at <https://aerobasegroup.com/nsn/5935-00-421-0930>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Straight shape w/jackscrew

Overall Length:

Between 4.118 inches and 4.138 inches

Overall Height:

2.012 inches

Overall Width:

Between 0.687 inches and 0.707 inches

Unthreaded Mounting Hole Diameter:

Between 0.115 inches and 0.135 inches

Distance Between Mounting Facility Centers:

Between 3.798 inches and 3.818 inches

Threaded Device Type:

Coupling facility

Mating End Quantity:

1

Contact Position Arrangement Style:

244 single mating end

Polarization Method:

Polarization boss

Shell Type:

Solid

Connector Locking Method:

Jackscrew-socket

Thread Size:

0.138 inches

Insert Material:

Stainless steel single mating end

Shell Material:

Plastic diallyl phthalate

Shell Material Specification:

Mil-m-14, ty sdg-f military specification single material response

Insert Material Specification:

Mil-f-14072, class 303 or 303se cond a or b military specification single material response single mating end

Special Features:

Jackscrew polarized at position v

Test Data Document:

05869-712237 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-f-14072 spec.