## NSN 5935-00-421-6067

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-421-6067 **Body Style:** Straight shape, external coupling Overall Length: 0.718 inches **Bushing Diameter:** 0.295 inches **Overall Height:** 0.688 inches **Overall Width:** 0.688 inches **Unthreaded Mounting Hole Diameter:** Between 0.124 inches and 0.127 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.500 inches **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Tps single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet pin Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** 

Silver

# NSN 5935-00-421-6067

Electrical Receptacle Connector - Page 2 of 2



### **Shell Material Specification:**

Qq-b-626, comp 22, 1/2 h federal specification single material response

### **Included Contact Quantity:**

1 single mating end single contact grouping

### **Included Contact Type:**

Coaxial socket single mating end single contact grouping

### **Precious Material And Location:**

Contact surface gold and shell surface silver

### **Precious Material And Weight:**

0.005 gold grains, troy and 0.100 silver grains, troy

#### **Precious Material:**

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0