NSN 5935-00-424-9703

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-424-9703

Body Style:
Right angle type
Overall Length:
2.850 inches
Overall Height:
0.550 inches
Overall Width:
0.359 inches
Environmental Protection:
Moisture resistant
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
2.150 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl 1, grade c military specification single treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Insert Material Specification:

Included Contact Quantity:

40 single mating end single contact grouping

Mil-m-14 military specification single material response single mating end

NSN 5935-00-424-9703

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Round pin single mating end single contact grouping Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.040 gold grains, troy Precious Material: Gold Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.