Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-430-6314

| view Online at https://aerot | basegroup.com/nsn/5935-00-430-6314 |
|------------------------------|---|
| Thread Class: | |
| 2b | |
| Thread Direction: | |
| Right-hand | |
| Overall Width: | |
| 1.594 inches | |
| Body Angle In Deg: | |
| 90.0 | |
| Cable Opening Diameter: | |
| 0.969 inches | |
| Distance From Centerline | To Connector End: |
| Any acceptable | |
| Distance From Centerline | To Cable End: |
| Any acceptable | |
| Cable Opening Quantity: | |
| 1 | |
| Size Designation: | |
| 24 | |
| Mounting Facility Type A | nd Quantity: |
| 1 threaded coupling | |
| Thread Size: | |
| 1.438 inches | |
| Material: | |
| Aluminum alloy | |
| Surface Treatment: | |
| Cadmium and chromate | |
| Style Designator: | |
| Angle type w/clamp | |
| Surface Treatment: | |
| Cadmium and chromate | |
| Test Data Document: | |
| 81349-milc38999 specifica | tion (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commerc | ial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and perform | ance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Thread Series Designator | : |
| Unef | |
| Specification Data: | |
| 81349-mil-c-38999 governr | nent specification |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| Deminitarization. | |

NSN 5935-00-430-6314

Electrical Connector Backshell - Page 2 of 2

Fiig: A10100

