

View Online at <https://aerobasegroup.com/nsn/5935-00-432-9340>

Thread Class:

2a

Thread Direction:

Right-hand

Overall Length:

1.132 inches

Overall Height:

1.375 inches

Overall Width:

0.750 inches

Distance From Mounting Shoulder To Front Face:

Between 0.296 inches and 0.328 inches

Threaded Device Type:

Mounting bushing

Mating End Quantity:

1

Contact Position Arrangement Style:

Nonstd single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Shell Type:

Solid

Thread Length:

0.312 inches

Thready Qty Per Inch (tpi):

32

Thread Size:

0.375 inches

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Cadmium single mating end single contact grouping

Contact Surface Treatment Specification:

Qq-p-416, type 2, cl 1 federal specification single treatment response single mating end single contact grouping

Contact Material Specification:

Qq-b-750, comp a, spring federal specification single material response single mating end single contact grouping

Shell Material:

Copper alloy

Shell Surface Treatment:

Cadmium

Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

Included Contact Quantity:

1 single mating end single contact grouping

Bushing Accommodation Hole Shape:

Round

Included Contact Type:

Round socket single mating end single contact grouping

Test Data Document:

96906-ms90298 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-c-83413 spec.