

View Online at <https://aerobasegroup.com/nsn/5935-00-432-9340>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Overall Length:**

1.132 inches

**Overall Height:**

1.375 inches

**Overall Width:**

0.750 inches

**Distance From Mounting Shoulder To Front Face:**

Between 0.296 inches and 0.328 inches

**Threaded Device Type:**

Mounting bushing

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

Nonstd single mating end

**Contact Removability:**

Nonremovable single mating end single contact grouping

**Shell Type:**

Solid

**Thread Length:**

0.312 inches

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.375 inches

**Contact Material:**

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:**

Cadmium single mating end single contact grouping

**Contact Surface Treatment Specification:**

Qq-p-416, type 2, cl 1 federal specification single treatment response single mating end single contact grouping

**Contact Material Specification:**

Qq-b-750, comp a, spring federal specification single material response single mating end single contact grouping

**Shell Material:**

Copper alloy

**Shell Surface Treatment:**

Cadmium

**Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 3 federal specification single treatment response

**Included Contact Quantity:**

1 single mating end single contact grouping

**Bushing Accommodation Hole Shape:**

Round

**Included Contact Type:**

Round socket single mating end single contact grouping

**Test Data Document:**

96906-ms90298 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unef

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-c-83413 spec.