

View Online at https://aerobasegroup.com/nsn/5935-00-437-6451

# Thread Class:

2a and 2b and 2a

## **Thread Direction:**

Right-hand and right-hand and right-hand

#### **Body Style:**

Straight shape

#### **Overall Length:**

2.875 inches

#### **Overall Height:**

0.922 inches

#### **Overall Width:**

1.656 inches

#### **Distance Between Mounting Facility Centers:**

2.375 inches

#### **Threaded Device Type:**

Coupling facility and mounting stud

## Mating End Quantity:

1

## **Contact Position Arrangement Style:**

25-104 single mating end

#### Polarization Method:

Jackscrew

## Shell Type:

Solid

#### **Connector Locking Method:**

Jackscrew-socket

#### **Thread Length:**

0.266 inches

#### Thready Qty Per Inch (tpi):

32 and 32 and 40

#### Thread Size:

8.000 inches and 8.000 inches and 4.000 inches

#### **Insert Material:**

Plastic diallyl phthalate single mating end

#### Shell Material:

Aluminum alloy

## Shell Surface Treatment:

Anodize

# Insert Material Specification:

Mil-m-14, ty sdg-f military specification single material response single mating end

## **Thread Series Designator:**

Unc and unc and unc

Electrical Receptacle Connector Body - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-m-14 spec.