## NSN 5935-00-439-5665

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-439-5665

**Body Style:** 

Straight edge type

**Overall Length:** 

2.000 inches

**Overall Height:** 

0.635 inches

**Overall Width:** 

Between 0.145 inches and 0.157 inches

**Unthreaded Mounting Hole Diameter:** 

0.088 inches

**Distance Between Mounting Facility Centers:** 

1.750 inches

**Board Accommodated Length:** 

1.350 inches single board

**Board Accommodated Width:** 

Between 0.027 inches and 0.035 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

1.0 single mating end single contact grouping

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, class 2 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Solder well single mating end single contact grouping

**Insert Material Specification:** 

Mil-m-14, ty sdg-f military specification single material response single mating end

**Included Contact Quantity:** 

13 single mating end single contact grouping

**Included Contact Type:** 

Flat socket single mating end single contact grouping

## NSN 5935-00-439-5665

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location
Contact surfaces gold
<b>Precious Material And Weight:</b>
0.013 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.