## NSN 5935-00-445-6482

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-445-6482 **Body Material:** Plastic **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top or bottom mount w/metal saddle **Overall Length:** Between 1.765 inches and 1.797 inches **Overall Height:** 0.969 inches **Overall Width:** 1.062 inches **Mounting Hole Diameter:** 0.138 inches **Body Mounting Hole Accommodation Diameter:** 0.978 inches **Distance Between Mounting Facility Centers:** Between 1.396 inches and 1.416 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Relay **Contact Material:** Phosphor bronze **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity:** 20 **Polarization Type:** Off center hole **Projection Length Below Mounting Surface:** Between 0.344 inches and 0.375 inches **Mounting Method:** Threaded stud **Mounting Type For Which Designed:** Chassis Thready Qty Per Inch (tpi): 32

Thread Size:

0.138 inches

## NSN 5935-00-445-6482

Plug-in Electronic Components Socket - Page 2 of 2



Contact Position Arrangement Style:
In-line
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
$0.020 \ \text{gold grains}, \ \text{troy} \ \text{and} \ 0.020 \ \text{silver grains}, \ \text{troy}$
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Terminal Type And Quantity:
20 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300