# NSN 5935-00-449-7007

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-449-7007 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape w/jackscrew **Overall Length:** 2.592 inches **Overall Height:** 2.730 inches **Overall Width:** 0.870 inches **Environmental Protection:** Thermal shock resistant and vibration resistant and moisture resistant and salt water resistant **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 2.280 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Polarization Method:** 2 polarization posts **Connector Locking Method:** Jackscrew Thready Qty Per Inch (tpi): **Thread Size:** 0.138 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end

# NSN 5935-00-449-7007

Electrical Receptacle Connector - Page 2 of 2



#### **Contact Surface Treatment Specification:**

Mil-g-45204, type 1, grad c or d, class 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, class 2 federal specification 2nd treatment response single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

## **Contact Material Specification:**

Qq-b-750 federal specification single material response single mating end single contact grouping

#### **Guide Design And Location:**

Hexagon shape male post right-hand at 5 oclock

# **Insert Material Specification:**

Mil-m-14, ty sdg-f or ty gdi-30f military specification single material response single mating end

#### **Included Contact Quantity:**

79 single mating end single contact grouping

## **Included Contact Type:**

Hermaphrodite single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.079 gold grains, troy

#### **Precious Material:**

Gold

# **Thread Series Designator:**

Unc

# Shelf Life:

N/a

# Unit Of Measure:

--

## **Demilitarization:**

No

# Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.