# NSN 5935-00-450-8587

Cadmium

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-450-8587

Body Style:
Straight shape, external coupling w/strain relief
Overall Length:
1.203 inches
Diameter:
0.578 inches
Overall Diameter:
0.719 inches
Environmental Protection:
Watertight
Mating End Quantity:
1
Contact Position Arrangement Style:
61 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
•
50.0
-
50.0
50.0 Shell Type:
50.0 Shell Type: Solid
50.0  Shell Type: Solid  Connector Locking Method:
50.0  Shell Type: Solid  Connector Locking Method: Spring friction
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method:
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location:
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material:
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material:
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Rubber single mating end
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Rubber single mating end Terminal Type:
Solid  Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Rubber single mating end Terminal Type: Solder well single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Spring friction Connector Cable Strain Relief Method: Compression nut Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping Insert Material: Rubber single mating end Terminal Type:

## NSN 5935-00-450-8587

Electrical Plug Connector - Page 2 of 2



#### **Included Contact Quantity:**

61 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surface gold and contact surface silver

### **Precious Material And Weight:**

0.061 gold grains, troy and 0.061 silver grains, troy

#### **Precious Material:**

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0