Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-452-9254
Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Rectangular shape
Overall Length:
1.520 inches
Overall Height:
0.630 inches
Overall Width:
0.520 inches
Environmental Protection:
Moisture resistant and thermal shock resistant and vibration resistant
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
70 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Thready Qty Per Inch (tpi):
32
Thread Size:
0.138 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Rubber synthetic single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single ma

single mating end single contact grouping



Terminal Type: Crimp single mating end single contact grouping Shell Material: Plastic **Included Contact Quantity:** 70 single mating end single contact grouping Included Contact Type: Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.070 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a Unit Of Measure: --**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.