Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-455-5169

#### **Body Style:**

Straight shape, flush mount

#### **Overall Height:**

3.110 inches

### **Overall Width:**

2.000 inches

## **Environmental Protection:**

Cold resistant and heat resistant

#### **Unthreaded Mounting Hole Diameter:**

0.120 inches

### Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 2.783 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 0.719 inches

Mating End Quantity:

# 2

Contact Position Arrangement Style:

57 all mating ends

#### Contact Removability:

Nonremovable all mating ends single contact grouping

## **Contact Maximum Current Rating In Amps:**

7.5 all mating ends single contact grouping

#### Polarization Method:

3 polarization posts

#### Shell Type:

Solid

#### **Connector Locking Method:**

Friction

#### **Terminal Location:**

Back all mating ends single contact grouping

#### **Contact Material:**

Copper alloy all mating ends single contact grouping

# **Contact Surface Treatment:**

Gold all mating ends single contact grouping

# Insert Material:

Plastic melamine all mating ends or plastic phenolic all mating ends

# Contact Surface Treatment Specification:

Mil-g-45204 military specification single treatment response all mating ends single contact grouping

## **Terminal Type:**

Solder well all mating ends single contact grouping

# **Contact Material Specification:**

Qq-c-533 federal specification single material response all mating ends single contact grouping



# **Guide Design And Location:** Hexagon shape female post right-hand at 6 oclock Shell Material: Aluminum alloy 380.0 Shell Surface Treatment: Cadmium and chromate **Shell Surface Treatment Specification:** Qq-p-416 federal specification all treatment responses **Shell Material Specification:** Qq-a-591 federal specification single material response **Insert Material Specification:** Mil-m-14 military specification all material responses all mating ends **Included Contact Type:** Round socket all mating ends single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.057 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.

---