## NSN 5935-00-456-5932



Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-456-5932 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** Between 0.875 inches and 0.905 inches **Overall Height:** Between 1.423 inches and 1.453 inches **Overall Width:** Between 1.423 inches and 1.453 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.093 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.093 inches **Distance From Mounting Shoulder To Front Face:** Between 0.548 inches and 0.608 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 7p single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 320.0 Shell Type: **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): **Thread Size: 1.313** inches **Insert Material:** 

Plastic diallyl phthalate single mating end

**Shell Material:** 

Aluminum alloy

## NSN 5935-00-456-5932

Electrical Receptacle Connector Body - Page 2 of 2



Shell Surface Treatment:
Cadmium and chromate
Shell Material Specification:
Qq-a-325 federal specification single material response
Insert Material Specification:
Mil-m-14, ty mdg military specification single material response single mating end
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard): Mil-m-14 spec.

A039b0