Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-456-8364

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling w/backshell
Overall Length:
1.196 inches
Overall Height:
1.453 inches
Overall Width:
1.453 inches
Environmental Protection:
Moisture proof and salt water resistant and vibration proof
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.156 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.156 inches
Distance From Mounting Shoulder To Front Face:
0.670 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
20-41 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Bayonet pin
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

#### Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Cadmium

## Included Contact Quantity:

41 single mating end single contact grouping

## Included Contact Type:

Round pin single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold

## Precious Material And Weight:

0.041 gold grains, troy

## Precious Material:

Gold

#### **Thread Series Designator:**

Unc

## Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A039b0